

- 
- P1-17_B** (a) There are initially 500 rabbits (x) and 200 foxes (y) on Farmer Oat's property. Use Polymath or MATLAB to plot the concentration of foxes and rabbits as a function of time for a period of up to 500 days. The predator-prey relationships are given by the following set of coupled ordinary differential equations:

$$\frac{dx}{dt} = k_1 x - k_2 x \cdot y$$

$$\frac{dy}{dt} = k_3 x \cdot y - k_4 y$$

Constant for growth of rabbits $k_1 = 0.02 \text{ day}^{-1}$

Constant for death of rabbits $k_2 = 0.00004/(\text{day} \times \text{no. of foxes})$

Constant for growth of foxes after eating rabbits $k_3 = 0.00004/(\text{day} \times \text{no. of rabbits})$

Constant for death of foxes $k_4 = 0.04 \text{ day}^{-1}$

What do your results look like for the case of $k_3 = 0.00004/(\text{day} \times \text{no. of rabbits})$ and $t_{\text{final}} = 800$ days? Also plot the number of foxes versus the number of rabbits. Explain why the curves look the way they do.

Vary the parameters k_1 , k_2 , k_3 , and k_4 . Discuss which parameters can or cannot be larger than others. Write a paragraph describing what you find.

- (b) Use Polymath or MATLAB to solve the following set of nonlinear algebraic equations:

$$x^3 y - 4y^2 + 3x = 1$$

$$6y^2 - 9xy = 5$$

with initial guesses of $x = 2$, $y = 2$. Try to become familiar with the edit keys in Polymath and MATLAB. See the CD-ROM for instructions.

Screen shots on how to run Polymath are shown at the end of Summary Notes for Chapter 1 on the CD-ROM and on the web.